



# DL (Dry Lock) Port System Charts for Sony Alpha Series Cameras

## PORT OPTIONS

Some lenses have more than one port option. The first column is always the recommended option for the best compromise of imaging quality, performance, and handling with any given lens.

## PRODUCT(S) REQUIRED

Where multiple lines of products are listed for a given option, all products listed are required to make a complete compatible lens port.

## LENSES REFERENCING “+4 DIOPTER REQUIRED”

### [Why Your Lens May Need a +4 Diopter Underwater](#)

A +4 diopter is available for purchase through your local camera store, and is commonly sold in a set with +1 and +2 close-up lenses. Common brands include Tiffen and Hoya. Make sure to purchase the correct size for your lens. The thread diameter is usually referenced on the front of the lens in millimeters ( $\emptyset$  58mm, 67mm, etc.). All photos will be out of focus if a +4 diopter is required but not used.

## HELPFUL LINKS

[When to Use a Compact 8" Dome Port Underwater](#)

[How to Polish an Acrylic Dome Port](#)

[Dealing with Droplets when Shooting Split Shots](#)

[Why You Need a Fisheye Lens Underwater](#)

[The Right Lens for Every Situation Underwater](#)

[5 Situations Where You Need a Strobe Underwater](#)

# Sony E-Mount Lenses

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>8 mm Rokinon Fisheye</b>	Not recommended due to extreme vignetting.		
<b>8-15 mm Canon EF f/4L Fisheye USM</b> <b>+ Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b> <b>or Sigma MC-11 Adapter</b>  <b>“BEST LENS”</b>  <i>Tripod foot must be removed from adapter.</i>	Lens shade must be removed. Dome shade must be removed to eliminate vignetting. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75020</b> Extension <b>5509.28</b> Zoom Gear  <u>Optional accessories:</u> <b>47140</b> Trim Weight	Lens shade must be removed. Dome shade must be removed to eliminate vignetting. AF only. <u>Product(s) required:</u> <b>75348</b> Dome Port <b>75028</b> Extension <b>5509.28</b> Zoom Gear	
<b>10 mm Venus Optics Laowa f/2.8 Zero-D FF</b> <a href="#">See Installation</a> <a href="#">See First Impressions</a> <a href="#">See Results</a>	Dome shade must be removed to eliminate vignetting. AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75020</b> Extension  <u>Optional accessories:</u> <b>47140</b> Trim Weight		
<b>10-18 mm Sony E f/4 OSS</b>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome <b>5509.28</b> Zoom Gear  <u>Optional accessories:</u> <b>47140</b> Trim Weight		
<b>10-18 mm Sigma f/2.8 DC DN Contemporary</b>	Compact and lightweight for travel. Better for close focus wide angle. AF only. <u>Product(s) required:</u> <b>75344</b> Compact Dome Port <b>5509.29</b> Zoom Gear	Larger dome is best for split shots (half-in, half-out of the water). AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>5509.29</b> Zoom Gear  <u>Optional accessories:</u> <b>47140</b> Trim Weight	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>10-20 mm Sony E f/4 PZ G</b> <a href="#">See Results</a>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port</p> <p><b>Optional accessories:</b>  <b>5509.51</b> Zoom Gear**</p> <p>** Zoom without optional zoom gear by <a href="#">custom assigning zoom function to the directional pad buttons</a>.</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight  <b>5509.51</b> Zoom Gear**</p> <p>** Zoom without optional zoom gear by <a href="#">custom assigning zoom function to the directional pad buttons</a>.</p>	
<b>11 mm Sony E f/1.8</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	
<b>11-18 mm Tokina f/2.8</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75348</b> Dome Port  <b>5509.28</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). May have slightly better edge sharpness compared to compact dome. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>11-20 mm Tamron f/2.8 Di III-A RXD</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. May use alternative extension as short as 37mm with some negative effect on edge sharpness. Use thinnest foam strips with zoom clamp. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75050</b> Extension  <b>5509.29</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). May have slightly better edge sharpness compared to compact dome. May use alternative extension as short as 28mm with some negative effect on edge sharpness. Use thinnest foam strips with zoom clamp. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.29</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	
<b>12 mm Carl Zeiss Touit 2.8/12</b>	<p>Dome shade must be removed to eliminate vignetting. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>0923.81</b> Anti-Reflection Ring</p>		
<b>12 mm Rokinon f/2.8 Full Frame Fisheye + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from Metabones adapter.</i>	<p>Port recommendation not available.</p>		
<b>12-24 mm Sony f/2.8 FE GM</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75037</b> Extension  <b>5509.41</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact 8" dome port is not recommended due to vignetting.</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>12-24 mm Sony f/4 FE G</b> <a href="#">See Installation</a>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.32</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>5509.32</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	
<b>14 mm Sony f/1.8 GM</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75037</b> Extension</p>	
<b>14 mm Samyang f/2.8 AF FE Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>		
<b>14 mm Sigma f/1.8 DG HSM Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>14-24 mm Sigma f/2.8 DG DN Art</b>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port <b>75020</b> Extension <b>75042</b> Extension <b>5509.49</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>		
<b>15 mm Sony E f/1.4 G</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	
<b>15 mm Sigma f/1.4 Fisheye DG DN Art</b>	<p>Port recommendation not available. This lens may not be able to be used behind a dome port underwater due to its long minimum focus distance (15.2").</p>		
<b>15 mm Sigma f/2.8 EX DG Diagonal Fisheye + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from adapter.</i>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>		
<b>16 mm Sigma f/1.4 DC DN</b>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port <b>75042</b> Extension</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port <b>75028</b> Extension</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16 mm Sony FE f/1.8 G</b>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75037</b> Extension</p>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>
<b>16 mm Sony E f/2.8 Pancake</b>	<p>Vignetting (dark shadows in the corners of the image) will be present. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>		
<b>16 mm Sony E f/2.8 Pancake + Fisheye Converter VLC-ECF1</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>		
<b>16 mm Sony E f/2.8 Pancake + Ultra Wide Converter VLC-ECU1</b>	<p>AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16-25 mm Sony FE f/2.8 G</b> <a href="#">See Installation</a>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required</b></p> <p><b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.78</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. AF only.</p> <p><b>Product(s) required</b></p> <p><b>75344</b> Compact Dome Port  <b>75020</b> Extension  <b>75037</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.78</b> Anti-Reflection Ring</p>	<p>Edges will be softer compared to longer port options. AF Only.</p> <p><b>Product(s) required</b></p> <p><b>75340</b> Dome Port  <b>5509.28</b> Zoom Gear  <b>0923.78</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>
<b>16-28 mm Sigma f/2.8 DG DN</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75028</b> Extension  <b>5509.28</b> Zoom Gear</p>	
<b>16-30 mm Tamron f/2.8 Di III VXD G2</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only. Can alternatively use Extended Compact Dome Port # 75348.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p>	<p>Edges will be softer compared to longer port options. AF Only.</p> <p><b>Product(s) required</b></p> <p><b>75340</b> Dome Port  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16-35 mm Sony FE f/2.8 GM (Mark I)</b> <a href="#">See Installation</a>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>75050</b> Extension  <b>5509.16</b> Zoom Gear  <b>0923.74</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75028</b> Extension  <b>75050</b> Extension  <b>5509.16</b> Zoom Gear  <b>0923.74</b> Anti-Reflection Ring</p>	
<b>16-35 mm Sony FE f/2.8 GM II</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.38</b> Zoom Gear  <b>0923.74</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.38</b> Zoom Gear  <b>0923.74</b> Anti-Reflection Ring</p>	<p>Shortest combination physically possible. We recommend a longer combination for better edge sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>75037</b> Extension  <b>5509.38</b> Zoom Gear  <b>0923.74</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>
<b>16-35 mm Sony FE f/4 G PZ</b> <b>“BEST LENS”</b> <a href="#">See Review</a>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75042</b> Extension  <b>0923.76</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight  <b>5509.16</b> Zoom Gear**</p> <p>** Zoom without optional zoom gear by <a href="#">custom assigning zoom function to the directional pad buttons</a>.</p>	<p>Not recommended for photos where edge sharpness is important. Compact and lightweight for travel. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75042</b> Extension  <b>0923.76</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>5509.16</b> Zoom Gear**</p> <p>** Zoom without optional zoom gear by <a href="#">custom assigning zoom function to the directional pad buttons</a>.</p>	<p>We recommend a longer combination (Option 1) for better edge sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75020</b> Extension  <b>0923.76</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight  <b>5509.16</b> Zoom Gear**</p> <p>** Zoom without optional zoom gear by <a href="#">custom assigning zoom function to the directional pad buttons</a>.</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<p><b>16-35 mm Sony FE f/4 ZA OSS Vario Tessar T*</b> <a href="#">See Installation</a></p>	<p>Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.48</b> Zoom Gear  <b>0923.72</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75042</b> Extension  <b>5509.48</b> Zoom Gear  <b>0923.72</b> Anti-Reflection Ring</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>5509.48</b> Zoom Gear  <b>0923.72</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>
<p><b>16-35 mm Canon EF f/2.8L II USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b> or <b>Sigma MC-11 Adapter</b></p> <p><i>Tripod foot must be removed from Metabones adapter.</i></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.04</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.04</b> Anti-Reflection Ring</p>	
<p><b>16-35 mm Canon EF f/2.8L III USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b> or <b>Sigma MC-11 Adapter</b></p> <p><i>Tripod foot must be removed from Metabones adapter.</i></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>(2) 75050</b> Extensions  <b>5509.12</b> Zoom Gear  <b>0923.05</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>(2) 75050</b> Extensions  <b>5509.12</b> Zoom Gear  <b>0923.05</b> Anti-Reflection Ring</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<p><b>16-35 mm Canon EF f/4L USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b></p> <p><i>Tripod foot must be removed from Metabones adapter.</i></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.01</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75042</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.01</b> Anti-Reflection Ring</p>	
<p><b>16-50 mm Sony E f/3.5-5.6 PZ OSS</b></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). Zoom by <a href="#">custom assigning zoom function to the directional pad buttons</a>. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75037</b> Extension  <b>0923.73</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Not recommended for photos where edge sharpness is important. Compact and lightweight for travel. Zoom by <a href="#">custom assigning zoom function to the directional pad buttons</a>. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75037</b> Extension  <b>0923.73</b> Anti-Reflection Ring</p>	<p>We recommend a longer combination (Option 1) for better edge sharpness. Zoom by <a href="#">custom assigning zoom function to the directional pad buttons</a>. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>0923.73</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>
<p><b>16-55 mm Sony E f/2.8 G</b></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). Use zoom clamp without foam strips. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.27</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>We recommend a longer combination (Option 1) for better edge sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>5509.27</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact dome port not recommended due to severe vignetting.</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>16-70 mm Sony E f/4 ZA OSS Vario-Tessar T*</b>	<p>May give very slightly better edge sharpness compared to other port options. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>75028</b> Extension  <b>5509.27</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.27</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75344</b> Compact Dome Port  <b>75020</b> Extension  <b>75028</b> Extension  <b>5509.27</b> Zoom Gear</p>
<b>17-28 mm Tamron f/2.8 Di III RXD E-Mount</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75050</b> Extension  <b>5509.29</b> Zoom Gear</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75028</b> Extension  <b>75037</b> Extension  <b>5509.29</b> Zoom Gear</p>	
<b>17-40 mm Canon f/4.0L EF USM + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b>  <i>Tripod foot must be removed from adapter.</i>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.02</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear  <b>0923.02</b> Anti-Reflection Ring</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>17-50 mm Tamron f/4 Di III VXD</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF Only.</p> <p><b>Product(s) required</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>75037</b> Extension  <b>5509.28</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF Only.</p> <p><b>Product(s) required</b></p> <p><b>75340</b> Dome Port  <b>75020</b> Extension  <b>75042</b> Extension  <b>5509.28</b> Zoom Gear</p>	<p>Compact and lightweight for travel. AF Only.</p> <p><b>Product(s) required</b></p> <p><b>75344</b> Compact Dome Port  <b>75020</b> Extension  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p>
<b>18 mm Zeiss Batis f/2.8</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75028</b> Extension  <b>0923.82</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75028</b> Extension  <b>0923.82</b> Anti-Reflection Ring</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>0923.82</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>18-105 mm Sony E PZ f/4 G OSS</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness.</p> <p><a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75340</b> Dome Port**  <b>75050</b> Extension  <b>75028</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p> <p>** Zoom by <a href="#">custom assigning zoom function to the directional pad buttons.</a></p>	<p>Compact and lightweight for travel. Better for close focus wide angle. <a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75344</b> Compact Dome Port**  <b>75050</b> Extension  <b>75028</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p> <p>** Zoom by <a href="#">custom assigning zoom function to the directional pad buttons.</a></p>	<p>Larger dome is best for split shots (half-in, half-out of the water). <a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75340</b> Dome Port**  <b>75050</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p> <p>** Zoom by <a href="#">custom assigning zoom function to the directional pad buttons.</a></p>
<b>18-200 mm Sony E f/3.5-6.3 OSS</b> <b>18-200 mm Sony E f/3.5-6.3 OSS LE</b>	Port recommendation not available.		
<b>20 mm Sony FE f/1.8 G</b>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75344</b> Compact Dome Port  <b>75028</b> Extension</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>20 mm Sony E f/2.8</b>	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>		
<b>20-40 mm Tamron f/2.8 Di III VXD</b>	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 5509.28 Zoom Gear</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>		
<b>20-70 mm Sony FE f/4 G</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75050 Extension 5509.55 Zoom Gear</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75344 Compact Dome Port 75020 Extension 75050 Extension 5509.55 Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75042 Extension 5509.55 Zoom Gear</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>
<b>24 mm Sony FE f/1.4 GM</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75028 Extension</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75348 Dome Port 75028 Extension</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>24 mm Samyang f/2.8 AF FE</b>	<p>AF or MF. Manual focus requires optional focus gear.</p> <p><b>Product(s) required:</b> 75340 Dome Port</p> <p><b>Optional accessories:</b> 5509.27 Focus Gear</p>		
<p><b>24 mm Sigma f/1.4 DG HSM Art + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV)</b></p> <p><i>Tripod foot must be removed from adapter.</i></p>	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75028 Extension</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>		
<b>24 mm Tamron f/2.8 Di III OSD</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75344 Compact Dome Port</p>	
<b>24-50 mm Sony f/2.8 G</b>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75020 Extension 5509.28 Zoom Gear</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b> 75344 Compact Dome Port 75028 Extension 5509.28 Zoom Gear</p>	
<p><b>24-70 mm Sigma f/2.8 DG DN Art</b></p> <p><b><u>"BEST LENS"</u></b></p> <p><a href="#">See Installation</a></p>	<p>Compared to shorter ports, this option puts the lens element closest to the center of the dome sphere for optimal sharpness. AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75020 Extension 75050 Extension 5509.35 Zoom Gear</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>	<p>AF only.</p> <p><b>Product(s) required:</b> 75340 Dome Port 75050 Extension 5509.35 Zoom Gear</p> <p><b>Optional accessories:</b> 47140 Trim Weight</p>	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
24-70 mm Sony FE f/2.8 GM	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> <b>75340</b> Dome Port <b>75028</b> Extension <b>75050</b> Extension <b>5509.34</b> Zoom Gear <u>Optional accessories:</u> <b>47140</b> Trim Weight		
24-70 mm Sony FE f/2.8 GM II	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension <b>75042</b> Extension <b>5509.44</b> Zoom Gear <u>Optional accessories:</u> <b>47140</b> Trim Weight	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75020</b> Extension <b>75050</b> Extension <b>5509.44</b> Zoom Gear <u>Optional accessories:</u> <b>47140</b> Trim Weight	
24-70 mm Sony FE f/4 ZA OSS Carl Zeiss Vario Tessar T*	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> <b>75340</b> Dome Port <b>75028</b> Extension <b>5509.28</b> Zoom Gear <u>Optional accessories:</u> <b>47140</b> Trim Weight		
24-105 mm Sony FE f/4 G OSS	AF only. <u>Product(s) required:</u> <b>+4 Diopter Required</b> <b>75340</b> Dome Port <b>75020</b> Extension <b>75050</b> Extension <b>5509.16</b> Zoom Gear <u>Optional accessories:</u> <b>47140</b> Trim Weight		
24-240 mm Sony FE f/3.5-6.3 OSS	Lens not recommended due to zoom range.		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>25 mm Zeiss Batis f/2</b>	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port		
<b>28 mm Sony FE f/2</b>	Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension <u>Optional accessories:</u> <b>47140</b> Trim Weight	Compact and lightweight for travel. Better for close focus wide angle. AF only. <u>Product(s) required:</u> <b>75344</b> Compact Dome Port <b>75042</b> Extension	Larger dome is best for split shots (half-in, half-out of the water). AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <u>Optional accessories:</u> <b>47140</b> Trim Weight
<b>28 mm Sony FE f/2 + 16mm Fisheye Conversion Lens</b> SEL057FEC	AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension <u>Optional accessories:</u> <b>47140</b> Trim Weight		
<b>28 mm Sony FE f/2 + Ultra Wide Converter</b> SEL075UWC	Larger dome is best for split shots (half-in, half-out of the water). AF only. <u>Product(s) required:</u> <b>75340</b> Dome Port <b>75028</b> Extension <u>Optional accessories:</u> <b>47140</b> Trim Weight	Compact and lightweight for travel. Better for close focus wide angle. AF only. <u>Product(s) required:</u> <b>75344</b> Compact Dome Port <b>75042</b> Extension	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>28-60 mm Sony FE f/4-5.6</b>	<p>Superior edge sharpness compared to shorter ports. Compact and lightweight for travel. Better for close focus wide angle. <a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75344</b> Compact Dome Port  <b>75050</b> Extension  <b>5509.61</b> Zoom Gear  <b>0923.77</b> Anti-Reflection Ring</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. <a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75344</b> Compact Dome Port  <b>5509.61</b> Zoom Gear  <b>0923.77</b> Anti-Reflection Ring</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). <a href="#">Diopter required for focusing</a> behind a dome underwater, but prevents focusing at infinity above the surface. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>5509.61</b> Zoom Gear  <b>0923.77</b> Anti-Reflection Ring</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>
<b>28-70 mm Sony FE f/3.5-5.6 OSS</b>	<p>Superior edge sharpness compared to shorter ports. Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>	<p>Compact and lightweight for travel. Better for close focus wide angle. AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75344</b> Compact Dome Port  <b>75050</b> Extension  <b>5509.28</b> Zoom Gear</p>	<p>Larger dome is best for split shots (half-in, half-out of the water). AF only.</p> <p><b>Product(s) required:</b></p> <p><b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>5509.28</b> Zoom Gear</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>
<b>28-75 mm Tamron f/2.8 Di III VXD G2</b>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75340</b> Dome Port  <b>75042</b> Extension  <b>5509.71</b> Zoom Gear  <b>5509.1</b> Rubber Set</p> <p><b>Optional accessories:</b></p> <p><b>47140</b> Trim Weight</p>		
<b>28-135 mm Sony FE PZ f/4 G OSS</b>	<p>Lens not supported due to size.</p>		
<b>30 mm Sony E f/3.5 Macro</b>	<p>AF only.</p> <p><b>Product(s) required:</b></p> <p><b>75301</b> Flat Port</p>		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>35 mm Sony FE f/1.4 GM</b>	<p>Compact and lightweight with better handling. Full angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port  <b>75028</b> Extension</p>	<p>Full angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75020</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	
<b>35 mm Sony FE f/1.4 ZA Distagon T*</b>	<p>Large dome is better for split shots (half-in, half-out of the water). Full angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port  <b>75042</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Reduced angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75042</b> Extension</p>	
<b>35 mm Sony E f/1.8 OSS</b> <b>35 mm Sony FE f/1.8</b> <b>35 mm Sony FE f/2.8 ZA Carl Zeiss Sonnar T*</b>	<p>Compact and lightweight with better handling. Full angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75344</b> Compact Dome Port</p>	<p>Full angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Reduced angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port</p>
<b>50 mm Sony FE f/1.2 GM</b>	<p>Reduced angle of coverage underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>75301</b> Flat Port  <b>75037</b> Extension</p>	<p>Compact and lightweight for travel. Full angle of coverage underwater. Diopter required when shooting underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75340</b> Dome Port  <b>75042</b> Extension</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>	<p>Full angle of coverage underwater. Diopter required when shooting underwater. AF only.</p> <p><b>Product(s) required:</b>  <b>+4 Diopter Required</b>  <b>75340</b> Dome Port</p> <p><b>Optional accessories:</b>  <b>47140</b> Trim Weight</p>

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>50 mm Sony f/1.8 FE</b>	AF or MF. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension <u>Optional accessories:</u> <b>5509.27</b> Focus Gear		
<b>50 mm Sony E f/1.8 OSS</b>	AF or MF. <u>Product(s) required:</u> <b>75301</b> Flat Port <u>Optional accessories:</u> <b>5509.27</b> Focus Gear		
<b>50 mm Sony f/2.8 Macro</b>	AF or MF. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension <u>Optional accessories:</u> <b>5509.28</b> Focus Gear	Full angle of coverage underwater. AF or MF. <u>Product(s) required:</u> <b>75344</b> Compact Dome Port <b>75028</b> Extension <u>Optional accessories:</u> <b>5509.28</b> Focus Gear	AF or MF. <u>Product(s) required:</u> <b>75303</b> Flat Port <b>75037</b> Extension <u>Optional accessories:</u> <b>5509.28</b> Focus Gear
<b>55 mm Sony FE f/1.8 ZA Carl Zeiss Sonnar T*</b>	AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port		
<b>55-210 mm Sony E f/4.5-6.3 OSS</b> <b>70-200 mm Sony FE f/4 G OSS</b>	Lens not recommended due to zoom range and minimum focus distance 1m (39.37").		
<b>85 mm Sony FE f/1.4 GM</b>	Suitable for use above the surface of the water. Lens not recommended for use underwater. AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75042</b> Extension		

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
85 mm Sony FE f/1.8	Suitable for use above the surface of the water. Lens not recommended for use underwater. AF only.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension		
90 mm Sony FE f/2.8 Macro G OSS  <b>“BEST LENS”</b>  <a href="#">See Installation</a> <a href="#">See Review</a>	This shorter combination is needed when using macro wet lenses attached to the front of the port. Manual focus with optional gear.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension <b>75042</b> Extension  <u>Optional accessories:</u> <b>5509.47</b> Focus Gear	Manual focus with optional gear.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75028</b> Extension <b>75050</b> Extension  <u>Optional accessories:</u> <b>5509.47</b> Focus Gear	
90 mm Tamron f/2.8 Di III VXD	AF only.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75050</b> Extension	AF only.  <u>Product(s) required:</u> <b>75303</b> Flat Port <b>75020</b> Extension <b>75037</b> Extension	
100 mm Sony FE f/2.8 Macro GM  <b>“BEST LENS”</b>	Focus ring locks prevents accidentally changing from AF to MF during installation. Manual focus with optional gear.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75028</b> Extension <b>75042</b> Extension <b>5509.75</b> Focus Ring Lock  <u>Optional accessories:</u> <b>5509.74</b> Focus Gear	Focus ring locks prevents accidentally changing from AF to MF during installation. Manual focus with optional gear.  <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension <b>75050</b> Extension <b>5509.75</b> Focus Ring Lock  <u>Optional accessories:</u> <b>5509.74</b> Focus Gear	

	OPTION 1 (Recommended)	OPTION 2	OPTION 3
<b>100 mm Canon f/2.8 EF USM Macro (non-IS) + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from adapter.</i>	AF only. <u>Product(s) required:</u> <b>75301</b> Flat Front <b>75020</b> Extension <b>75050</b> Extension		
<b>100 mm Canon f/2.8L EF IS USM Macro + Metabones Canon EF Lens to Sony E Mount T Smart Adapter (Mark IV) or Sigma MC-11 Adapter</b>  <i>Tripod foot must be removed from adapter.</i>	AF only. <u>Product(s) required:</u> <b>75301</b> Flat Front <b>75020</b> Extension <b>75050</b> Extension		
<b>105 mm Sigma f/2.8 DG DN Macro Art</b>	AF only. <u>Product(s) required:</u> <b>75301</b> Flat Port <b>75020</b> Extension <b>75037</b> Extension		
<b>135 mm Sony FE f/1.8 GM</b>	This lens is too large to be used in the DL port system.		